Urban Stone

Flooring Solutions











Urban Stone





Why Choose Urban Stone Key Benefits of the **Epoxy/Flake Finishes?**

Unmatched Durability Our Urban Stone finish is manufactured on-site and features a 3-coat, 10+ step system using cutting-edge technology. The high-quality polyaspartic that we use in the top layer is tough, impervious, UV-resistant, and offers excellent adhesion and toughness, making our finishes vastly superior to most other flake floors.

Superior Materials and Workmanship Polyaspartic, is a more challenging and expensive material to use than epoxy and forms the backbone of our top layer. We leverage our extensive experience and bulk purchasing power to provide this superior material at competitive prices. This ensures that our floors not only look fantastic but also stand the test of time.

Urban Stone finish

- Prep Work Included: We patch existing cracks, minor holes, and saw cuts.
- Mighest Quality Materials: Sourced from trusted suppliers for their quality and durability.
- Thickest Flake Floor: At 2mm for maximum durability.
- Impact Resistance: Enhanced by the significant thickness.
- Petrochemical and Oil Resistance: Protects against common garage and workshop spills.
- Tyre Stain Resistance: Keeps your floor looking pristine.
- **©** Easy to Clean: Can be hosed, pressure-washed, vacuumed, and mopped.
- Conceals Dirt and Debris: The flake design naturally hides imperfections.
- Slip Resistance: Ensures safety in high-traffic areas.
- Crack and Peel Resistance: Maintains its integrity over time.





Urban StoneFlooring Finishes



We have a range of colours designed to complement most surfaces.

Standard Range



Hybrid RangeSlight variation in per M² pricing



DISCLAIMER: While every effort is made to ensure the colours shown on our promotional material are as accurate as possible, different monitors & devices produce and represent colour differently. For this reason, always check your colour choice either from samples/boards shown to you, or in our showroom.

Urban Stone

The Process



Our multi-coloured seamless flake flooring system is a very popular, durable and decorative finish for a variety of spaces including but not limited to;

- Garages & Workshops
- Gyms & Exercise Areas
- Factories & Warehouses
- Mospitals & Amenity Areas
- Educational Facilities
- Alfresco Areas
- Basements
- Man Caves
- Showroom Floors

Our process consists of

- A heavy duty epoxy resin base coat which also acts as a negative pressure waterproof membrane.
- High quality vinyl chips/flakes are then broadcast into the base coat to rejection (which means we keep applying flake on the floor until it simply won't take any more), completely blanketing the epoxy layer in flake and then applying polyurethane in the final coat.
- This is then coated with high quality, non-yellowing polyaspartic.
- Seamless flooring can be applied to concrete in either conventional smooth or non slip finishes.

Urban Stone System



3,

TOP COAT

NON-YELLOWING POLYASPARTIC

2

FLAKE LAYER

1

BASE COAT EPOXY
NEGATIVE PRESSURE
WATERPROOF MEMBRANE

CONCRETE BASE





