



Urban Stone

Flooring Solutions



Seamless concrete flooring for **commercial**,
residential, and **industrial** environments.



Urban
Stone

Urban Stone



System



Residential + Commercial + Industrial

Urban Stone is a proprietary seamless flake flooring system developed by Urban Concrete Floors for commercial, public-facing and high-traffic environments.

Combining exceptional durability with a contemporary aesthetic, Urban Stone is ideal for basements, entertainment spaces, gyms, play centres, showrooms and other large communal areas. Its seamless finish is designed to withstand heavy use while delivering a clean, professional appearance that enhances the overall space.

Urban Stone



System

Why choose our Urban Stone Epoxy/Flake system

Unmatched Durability: Our Urban Stone System is manufactured on-site and features a 3-coat, 10+ step system using cutting-edge technology.

Our top layer uses **high-quality polyaspartic** that's tough, impervious, and **UV-resistant**, with excellent adhesion and toughness, making our finishes far superior to most other flake floors.

Superior Materials and Workmanship: Polyaspartic is a more challenging and expensive material to use than epoxy and forms the backbone of our top layer.

We leverage our extensive experience and bulk purchasing power to provide this superior material at competitive prices. This ensures that our floors not only look fantastic but also stand the test of time. Backed by an industry leading 12-year warranty.

Urban Stone Benefits


- 🔧 **Prep Work Included:** We patch existing cracks, minor holes, and saw cuts.
- 🔧 **Highest Quality Materials:** Sourced from trusted suppliers for their quality and durability.
- 🔧 **Thickest Flake Floor:** At 2mm for maximum durability.
- 🔧 **Impact Resistance:** Enhanced by the significant thickness.
- 🔧 **Petrochemical and Oil Resistance:** Protects against common spills.
- 🔧 **Tyre Stain Resistance:** Keeps your floor looking pristine.
- 🔧 **Easy to Clean:** Can be hosed, pressure-washed, vacuumed, and mopped.
- 🔧 **Conceals Dirt and Debris:** The flake design naturally hides imperfections.
- 🔧 **Slip Resistance:** Ensures safety in high-traffic areas.
- 🔧 **Crack and Peel Resistance:** Maintains its integrity over time.




We have a range of colours designed to complement most surfaces.




Standard Range




Orca




Stonehenge




Twilight



Graphite



Shadow




Bush




Shelly Beach


Hybrid Range



Shale



Obsidian



River

*Slight variation in
per M2 pricing*

Our *Urban Stone* system delivers a resilient, hard-wearing surface while offering strong aesthetic flexibility through flake selection.

It is designed to perform in large, high-traffic environments while maintaining a consistent, visually appealing and long-lasting. It is also suitable for garages and alfrescos where the same durability and visual consistency are desired.

DISCLAIMER: While every effort is made to ensure the colours shown on our promotional material are as accurate as possible, different monitors & devices produce and represent colour differently. For this reason, always check your colour choice either from samples/boards shown to you, or in our showroom.

Urban Stone



System

Curing & Drying Times

Curing and drying times are indicative only and may vary depending on temperature, humidity, and site conditions.


You can typically:

- Walk on the floor in clean socks by the following day.
- Returning vehicles to the surface needs **up to 7 days**.



Typical Applications

- Garages & Workshops
- Gyms & Exercise Areas
- Factories & Warehouses
- Hospitals & Amenity Areas
- Educational Facilities
- Alfresco Areas
- Basements & Man Caves
- Showroom Floors



Our Process

A heavy-duty epoxy base coat is applied, doubling as a negative-pressure waterproof membrane.

High-quality vinyl flakes are fully broadcast into the epoxy base coat until complete rejection, meaning we continue applying flake until the floor simply won't take any more, before sealing the system with a durable polyaspartic top coat.

The system is sealed with a high-performance, non-yellowing polyaspartic top coat for long-term durability and protection.

Available in both smooth and non-slip finishes to suit residential, commercial, and industrial spaces.

